

## Okuma Multus U 3000 - 1SW1500



CNC Milling / Turningcenter

---

Machine type: Okuma Multus U 3000 -  
1SW1500

---

Control: OSP P 300 SA

---

Year: 2023

---



Alle Maschinen optional mit

✓ **SERVICE-PAKET**

Abbau - Verladung - Transport - Inbetriebnahme

**SPECIFICATIONS:**

---

Max. turning length: 1.500  
[mm]

---

Turning diameter: [mm] 650

---

Max. swing over slide: 650  
[mm]

---

C-Axis

---

Spindle speeds: [rpm] 4.200

---

Spindle power: [kW] 22 / 15

---

Spindle bore: [mm] 91

---

Spindle nose: A2-6

---

Travel:

---

X-Axis: [mm] 645 mm

---

Y-Axis: [+/- mm] 250 (+/- 125) mm

---

Z-Axis: [mm] 1.600

---

W-axes: [mm] 1.594

---

Subspindle

---

Spindle speeds: [rpm] 5.000

---

Spindle bore: [mm] 91

---

**Equipment:**

---

Chip conveyor

---

High pressure pumps

---

---

CNC-Spindle tilting for cutting and turning operations

---

Spindle speeds: [rpm] 12.000

---

Tool: Capto C6

---

B-Axes -30° / +210° (0,001°)

---

---

Toolchanger

---

Tool capacity: 80

---

Tool diameter: [mm] 90 / 130



---

Tool length: [mm] 400

---

Tool weight: [kg] 10

---



+49 (0)611 5 10 1990    [info@stenzel.de](mailto:info@stenzel.de)